

1
2
3 **AMENDMENT TO THE CLAIMS.**
4

5 1-3, 18-23 (Cancelled)
6

7 4. (Currently Amended) An extendable ~~expendable~~ structure comprising a pair of box-
8 type frames, one located within the other, wherein each frame has four rails that are parallel to each
9 other with the rails of the inner frame being located parallel to the rails of the outer frame and in direct
10 vertical alignment therewith; wherein the outer frame has a leg located at each corner thereof and the
11 inner frame has a pair of legs at one end of the rails thereof, wherein said pair of legs are outside of the
12 outer frame to enable said inner frame to be adjusted to change the length of said structure.

13
14 5. (Currently Amended) The an extendable structure of Claim 4 wherein said structure is
15 used for holding a plurality of platter/trays, said platter/tray rack comprising a first frame and a second
16 frame movably interfitted to said first frame, at least one of said ~~first or second~~ frames having an upper
17 surface and a plurality of apertures formed therein, said apertures being aligned in spaced apart pairs,
18 and a plurality of separators adapted to interfit into at least a pair of said apertures so as to extend
19 upwardly from said at least one of said ~~first or second~~ frames to provide support for a platter/tray in
20 said structure ~~platter/tray rack~~.

21
22 6. (Previously Added) An extendable structure as defined in claim 4 wherein said first frame
23 and said second frame slidingly interfit together and wherein said first and second frames both have an
24 upper surface having apertures formed therein.

25
26 7. (Previously Added) An extendable structure defined in claim 4 wherein said plurality of
27 separators comprise separators that are generally straight in configuration.

28
29 8. (Previously Added) An extendable structure as defined in claim 4 wherein said plurality of
30 separators comprise inverted U-shaped separators, each having a pair of ends and said pair of ends are
31 adapted to be inserted into a pair of said apertures formed in the upper surface of at least one of said
32 first frame or said second frame.
33
34

1
2 9. (Previously Added) An extendable structure as defined in claim 5 wherein said plurality of
3 separators comprise inverted U-shaped separators, each having a pair of ends and said pair of ends are
4 adapted to be inserted into a pair of said apertures formed in the upper surface of said first and second
5 frame members.
6
7 10. (Previously Added) An extendable structure as defined in claim 5 wherein there are a
8 plurality of pairs of aligned apertures in both said first and second frames.
9
10 11. (Previously Added) An extendable structure as defined in claim 4 wherein said first frame
11 and said second frame are telescopingly interfitted together.
12
13 12. (Previously Added) An extendable structure as defined in claim 11 wherein said first frame
14 has a pair of external generally horizontal first frame members forming a first internal channel
15 therebetween and the second frame member has a pair of external second frame members that are
16 slidably received in said first internal channel.
17
18 13. (Previously Added) An extendable structure as defined in claim 12 wherein said plurality of
19 separators comprise U-shaped metal separators and said pair of external second frame members form a
20 second internal channel that is dimensioned to receive and retain said separators for storage of said
21 separators.
22
23 14. (Previously Added) An extendable structure as defined in claim 12 wherein said plurality of
24 separators comprise straight separators and a pair of spaced apart lateral flanges extend between said
25 pair of external second frame members, said spaced apart lateral flanges being spaced apart a
26 predetermined dimension to receive and retain said straight separators for storage of said separators.
27
28 15. (Previously Added) An extendable structure as defined in claim 14 wherein said spaced apart
29 lateral flanges comprise L-shaped flanges having a lower planar surface facing each other and said
30 straight separators are received and retained on said lower planar surfaces.
31
32

1

2 16. (Previously Added) An extendable structure as defined in claim 4 wherein said first frame
3 and said second frame are enameled metal construction.

4

5 17. (Previously Added) An extendable structure as defined in claim 4 wherein said first frame
6 and said second frame are wooden frames.

7